WHRP Updates

Erik Lyngdal & Dan Kopacz Bureau of Technical Services

2019 WAPA Annual Conference Pewaukee, WI

December 4, 2020





WHRP Introduction

Wisconsin Highway Research Program

Wisconsin Highway Research Program Overview


- WHRP established in 1998 by the Wisconsin Department of Transportation in collaboration with the University of Wisconsin-Madison
- WHRP budget in FFY 2019 -- \$995,000
- Primary research areas
 - Flexible Pavements <</p>
 - Rigid Pavements
 - Structures
 - Geotechnics

http://wisconsindot.gov/Pages/about-wisdot/research/whrp.aspx


Technical Oversight Committee

- Erik Lyngdal DOT
- Steve Hefel DOT
- Myungook Kang DOT
- Tirupan Mandal DOT
- Barry Paye DOT
- Dan Kopacz DOT
- Hani Titi UW Milwaukee
- Danny Xiao UW Platteville

- Aaron Coenen FHWA
- Erv Dukatz Mathy
- Stacy Glidden Payne & Dolan
- Deborah Schwerman WAPA
- Carl Johnson Stark
- Signe Reichelt Behnke Materials



Why WHRP?



Other Research Partners





Safer, Smarter, Sustainable Pavements Through Innovative Research



at AUBURN UNIVERSITY

Research Categories


1. Project Delivery Challenges

2. Performance Testing

3. Emerging Technologies

Project Delivery Challenges


17-06 Tack Coat




17-06 Tack Coat




17-06 Tack Coat



15-09 Longitudinal Joints



15-09 Longitudinal Joint Density



Alternative Materials/Practices





Alternative Materials/Practices



Performance Testing

WHRP Project 14-06: Critical Factors Affecting Asphalt Durability









https://www.fhwa.dot.gov/pavement/recycling/rap/



15-04 Analysis and Feasibility of Asphalt Pavement Performance-Based Testing








16-06 Regressing Air Voids





Increased asphalt binder → increased cracking resistance

20-04 Balanced Mixture Design Implementation Support




Emerging Technology


20-05 Aggregate Freeze-Thaw (Geo)



20-05 Aggregate Freeze-Thaw



Material Testing







Recycling and Aging

10-06 Recommended recycled binder replacement

Recycled Binder Type	Maximum Binder Replacement ¹ , %	
	Surface Layers	Lower Layers ³
RAP ²	20	45
RAS	5	20
	Reduce RAP binder	Reduce RAP binder
Combination of RAP and RAS		replacement 2.25 % for each
	1 % RAS binder replacement.	1 % RAS binder replacement.

17-04 Field Aging and Oil Modification

19-04 Recycled Binders





19-05 Recycled Tire Rubber



19-05 Recycled Tire Rubber




Where is the rubber?



List of Active/recently completed projects

- 1. 20-04 Balanced Mixture Designs
- 2. 20-03 Expansion of AASHTOWare ME Design Inputs
- 3. 19-04 Recycled Asphalt Binder Study
- 4. 19-05 Rubber Asphalt Study for Wisconsin
- 5. 18-06 Enhanced Moisture Sensitivity Study
- 6. 18-05 Investigation of In-service Performance
- 17-06 Investigation of Tack Coat Materials on Tracking Performance
- 8. 15-05 Evaluation of WisDOT QMP Activities and Impacts on Pavement Performance

Navigating to the Website



Principal Investigators, TOC Members, and Consultants



Principal Investigators, TOC Members, and Consultants





























